


Segmente Segments




ASW Segmente

Mit der großen Auswahl an Segmenten können nahezu alle gewünschten Umlenkungen realisiert werden. Damit das Produkt genau da ankommt, wo Sie es haben möchten.

Vorteile:

- absolut runde Geometrie
- Schmelzer Bördelkante
- innen kalibriert
- Radius $R = 1,5 D$ für geringen Förderwiderstand
- hohe Passgenauigkeit durch gepresste Ausführung



- + absolut runde Geometrie
- + Schmelzer Bördelkante
- + innen kalibriert
- + superior roundness
- + Schmelzer flanged edge
- + calibrated inside

ASW segments

With the wide range of segments almost all required diversions of the piping can be realized so that the product exactly gets where you want to have it.

Advantages:


- superior roundness
- Schmelzer flanged edge
- calibrated inside
- radius $R = 1,5 D$ for a small support resistance
- high fitting accuracy due to pressed execution



Segmente Segments



Segment ballig 5° I,5 D
Convex segments 5° I,5 D



- absolut runde Geometrie
- Schmelzer Bördelkante
- innen kalibriert
- im Werkzeug gezogen
- feuerverzinkt (vz.) oder pulverbeschichtet (pb.)

- superior roundness
- Schmelzer flanged edge
- calibrated inside
- pulled inside the tool
- hot-dip galvanized (vz.) or powder-coated (pb.)

Abmessungen / Dimensions


NW	a	b	c	d	e	f	g	h	kg 1mm	kg 1,5mm	kg 2mm	kg 3mm
100												
120												
150	149mm	12mm	223,5mm	5°							0,2	
175												
200	199mm	17mm	298,5mm	5°							0,4	0,6
250	249mm	21mm	373,5mm	5°							0,5	0,8
300	299mm	29mm	448,5mm	5°								
350												
400												

Artikel + Preise / Item + Prices

NW	1,5mm vz.		2mm vz.		3mm vz.		3mm pb.	
	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €
100								
120								
150			4010015015753	10,82				
175								
200			4010015015823	16,85	4010015015758	20,91	4010015015795	
250			4010015015827	21,03	4010015015763	28,65	4010015015796	
300					4010015015778	29,09		
350								
400								

Segment ballig 15° 1,5 D
Convex segments 15° 1,5 D

Segmente
Segments



- absolut runde Geometrie
- Schmelzer Bördelkante
- innen kalibriert
- im Werkzeug gezogen
- feuerverzinkt (vz.) oder pulverbeschichtet (pb.)

- superior roundness
- Schmelzer flanged edge
- calibrated inside
- pulled inside the tool
- hot-dip galvanized (vz.) or powder-coated (pb.)

Abmessungen / Dimensions

NW	a	b	c	d	e	f	g	h	kg 1mm	kg 1,5mm	kg 2mm	kg 3mm
100												
120												
150	149mm	37mm	223,5mm	15°							0,6	
175												
200	199mm	49mm	298,5mm	15°							0,9	1,3
250	249mm	62mm	373,5mm	15°							1,3	1,8
300	299mm	79mm	448,5mm	15°							1,5	2,2
350												
400												

Artikel + Preise / Item + Prices


NW	1,5mm vz.		2mm vz.		3mm vz.		3mm pb.	
	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €
100								
120								
150			4010015015755	11,78				
175								
200			4010015015824	18,20	4010015015760	21,65	4010015015797	
250			4010015015828	22,40	4010015015765	29,81	4010015015798	
300					4010015015779	30,24		
350								
400								

Segmente Segments



- absolut runde Geometrie
- Schmelzer Bördelkante
- innen kalibriert
- im Werkzeug gezogen
- feuerverzinkt (vz.) oder pulverbeschichtet (pb.)

Segment ballig 30° I,5 D
Convex segments 30° I,5 D



- superior roundness
- Schmelzer flanged edge
- calibrated inside
- pulled inside the tool
- hot-dip galvanized (vz.) or powder-coated (pb.)

Abmessungen / Dimensions


NW	a	b	c	d	e	f	g	h	kg 1mm	kg 1,5mm	kg 2mm	kg 3mm
100												
120												
150	149mm	71mm	223,5mm	30°							0,8	
175												
200	199mm	95mm	298,5mm	30°							1,7	1,8
250	249mm	120mm	373,5mm	30°							2,6	2,6
300	299mm	149mm	448,5mm	30°								3,2
350												
400												

Artikel + Preise / Item + Prices

NW	1,5mm vz.		2mm vz.		3mm vz.		3mm pb.	
	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €
100								
120								
150			4010015015756	13,27				
175								
200			4010015015825	22,81	4010015015761	23,50	4010015015799	
250			4010015015829	29,09	4010015015766	32,89	4010015015800	
300					4010015015780	38,72		
350								
400								

Segment ballig 45° I,5 D
Convex segments 45° I,5 D

Segmente
Segments



- absolut runde Geometrie
- Schmelzer Bördelkante
- innen kalibriert
- im Werkzeug gezogen
- feuerverzinkt (vz.) oder pulverbeschichtet (pb.)


- superior roundness
- Schmelzer flanged edge
- calibrated inside
- pulled inside the tool
- hot-dip galvanized (vz.) or powder-coated (pb.)

Abmessungen / Dimensions

NW	a	b	c	d	e	f	g	h	kg 1mm	kg 1,5mm	kg 2mm	kg 3mm
100												
120												
150	149mm	100mm	223,5mm	45°							1,0	
175												
200	199mm	134mm	298,5mm	45°							2,3	
250	249mm	170mm	373,5mm	45°							3,9	
300	299mm	209mm	448,5mm	45°								
350												
400												

Artikel + Preise / Item + Prices

NW	1,5mm vz.		2mm vz.		3mm vz.		3mm pb.	
	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €
100								
120								
150			4010015015757	14,64				
175								
200			4010015015826	25,22	4010015015762	27,06	4010015015801	
250			4010015015830	34,43	4010015015767	37,14	4010015015802	
300					4010015015781	45,65		
350								
400								



- im Werkzeug gezogen
- feuerverzinkt (vz.) oder pulverbeschichtet (pb.)

- pulled inside the tool
- hot-dip galvanized (vz.) or powder-coated (pb.)

Abmessungen / Dimensions


NW	a	b	c	d	e	f	g	h	kg 1mm	kg 1,5mm	kg 2mm	kg 3mm
100												
120												
150	149mm	40mm	600mm	5°							0,5	
175												
200	199mm	50mm	690mm	5°							0,8	1,2
250	249mm	40mm	635mm	5°							0,9	1,4
300	299mm	40mm	625mm	5°							1,0	1,5
350												
400												

Artikel + Preise / Item + Prices

NW	1mm vz.		1,5mm vz.		2mm vz.		3mm vz.	
	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €
100								
120								
150					4010015015724	10,02		
175								
200					4010015015729	12,89	4010015015713	29,69
250					4010015015734	17,00	4010015015708	35,30
300					4010015015741	33,75	4010015015746	38,25
350								
400								

Segment ballig 15°
Convex segments 15°

Segmente
Segments



- im Werkzeug gezogen
- feuerverzinkt (vz.) oder pulverbeschichtet (pb.)

- pulled inside the tool
- hot-dip galvanized (vz.) or powder-coated (pb.)

Abmessungen / Dimensions


NW	a	b	c	d	e	f	g	h	kg 1mm	kg 1,5mm	kg 2mm	kg 3mm
100												
120												
150	149mm	45mm	250mm	15°							0,6	
175												
200	199mm	40mm	270mm	15°							0,9	1,3
250	249mm	40mm	310mm	15°							1,2	1,8
300	299mm	40mm	310mm	15°							1,5	2,2
350												
400												

Artikel + Preise / Item + Prices

NW	1mm vz.		1,5mm vz.		2mm vz.		3mm vz.	
	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €
100								
120								
150					4010015015726	10,58		
175								
200					4010015015731	13,66	4010015015715	30,47
250					4010015015736	17,77	4010015015710	35,30
300					4010015015743	34,88	4010015015721	41,62
350								
400								

Segmente Segments

Segment ballig 30°
Convex segments 30°



- im Werkzeug gezogen
- feuerverzinkt (vz.) oder pulverbeschichtet (pb.)

- pulled inside the tool
- hot-dip galvanized (vz.) or powder-coated (pb.)

Abmessungen / Dimensions


NW	a	b	c	d	e	f	g	h	kg 1mm	kg 1,5mm	kg 2mm	kg 3mm
100												
120												
150	149mm	40mm	175mm	30°							0,8	
175												
200	199mm	40mm	180mm	30°							1,2	1,8
250	249mm	45mm	230mm	30°							1,7	2,6
300	299mm	35mm	230mm	30°							2,1	3,2
350												
400												

Artikel + Preise / Item + Prices

NW	1mm vz.		1,5mm vz.		2mm vz.		3mm vz.	
	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €
100								
120								
150					4010015015727	12,37		
175								
200					4010015015732	17,00	4010015015716	30,96
250					4010015015737	21,41	4010015015711	38,59
300					4010015015744	38,25	4010015015722	43,87
350								
400								

Segment ballig 45°
Convex segments 45°

Segmente
Segments



- im Werkzeug gezogen
- feuerverzinkt (vz.) oder pulverbeschichtet (pb.)

- pulled inside the tool
- hot-dip galvanized (vz.) or powder-coated (pb.)

Abmessungen / Dimensions

NW	a	b	c	d	e	f	g	h	kg 1mm	kg 1,5mm	kg 2mm	kg 3mm
100												
120												
150	149mm	40mm	150mm	45°							1,0	
175												
200	199mm	60mm	195mm	45°							1,7	2,6
250	249mm	45mm	195mm	45°							2,2	3,3
300	299mm	30mm	205mm	45°							2,8	4,2
350												
400												


Artikel + Preise / Item + Prices

NW	1mm vz.		1,5mm vz.		2mm vz.		3mm vz.	
	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €
100								
120								
150					4010015015728	13,51		
175								
200					4010015015733	21,70	4010015015717	33,44
250					4010015015738	26,42	4010015015712	46,09
300					4010015015745	43,87	4010015015723	49,51
350								
400								

Segmente Segments



Segment gerade 5°
Straight segments 5°



- absolut runde Geometrie
- Schmelzer Bördelkante
- innen kalibriert
- feuerverzinkt (vz.) oder pulverbeschichtet (pb.)
- einteilig oder zweiteilig (*)

- superior roundness
- Schmelzer flanged edge
- calibrated inside
- hot-dip galvanized (vz.) or powder-coated (pb.)
- one-part or two-part (*)

Abmessungen / Dimensions


NW	a	b	c	d	e	f	g	h	kg 1mm	kg 1,5mm	kg 2mm	kg 3mm
100												
120												
150	149mm	45mm	5°							0,4	0,5	
175	174mm	45mm	5°								0,5	
200	199mm	45mm	5°								0,8	1,2
250	249mm	45mm	5°								0,9	1,4
300	299mm	45mm	5°								1,0	1,5
350	349mm	45mm	5°									1,7
400	399mm	45mm	5°									1,9

Artikel + Preise / Item + Prices

NW	1,5mm vz.		2mm vz.		3mm vz.		3mm pb.	
	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €
100								
120								
150	4010015015664	5,60	4010015015669	7,43				
175			4010015015782	8,79				
200			4010015015679	10,13	4010015015684	23,26	4010015015803	
250			4010015015689	14,63	4010015015694	28,53	4010015015804	
300			4010015015747	21,36	4010015015794	30,85	4010015015805	
350			4010015015838	24,82	4010015015786	31,50	4010015015806	
400			4010015015839	30,29	4010015015787	38,39	4010015015807	

Segment gerade 15°
Straight segments 15°

Segmente
Segments



- absolut runde Geometrie
- Schmelzer Bördelkante
- innen kalibriert
- feuerverzinkt (vz.) oder pulverbeschichtet (pb.)
- einteilig oder zweiteilig (*)

- superior roundness
- Schmelzer flanged edge
- calibrated inside
- hot-dip galvanized (vz.) or powder-coated (pb.)
- one-part or two-part (*)

Abmessungen / Dimensions



NW	a	b	c	d	e	f	g	h	kg 1mm	kg 1,5mm	kg 2mm	kg 3mm
100												
120												
150	149mm	43mm	15°							0,5	0,6	
175	174mm	43mm	15°								0,8	
200	199mm	43mm	15°								0,9	1,3
250	249mm	43mm	15°								1,2	1,8
300	299mm	43mm	15°								1,5	2,2
350	349mm	43mm	15°									2,6
400	399mm	43mm	15°									3,0

Artikel + Preise / Item + Prices

NW	1,5mm vz.		2mm vz.		3mm vz.		3mm pb.	
	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €
100								
120								
150	4010015015666	6,27	4010015015671	8,44				
175			4010015015783	10,51				
200			4010015015681	11,59	4010015015686	25,11	4010015015808	
250			4010015015691	15,96	4010015015696	28,92	4010015015809	
300			4010015015749	22,51	4010015015718	32,32	4010015015810	
350			4010015015840	25,93	4010015015788	33,48	4010015015811	
400			4010015015841	31,91	4010015015789	40,57	4010015015812	

Segmente Segments

Segment gerade 30°
Straight segments 30°



- absolut runde Geometrie
- Schmelzer Bördelkante
- innen kalibriert
- feuerverzinkt (vz.) oder pulverbeschichtet (pb.)
- einteilig oder zweiteilig (*)

- superior roundness
- Schmelzer flanged edge
- calibrated inside
- hot-dip galvanized (vz.) or powder-coated (pb.)
- one-part or two-part (*)

Abmessungen / Dimensions



NW	a	b	c	d	e	f	g	h	kg 1mm	kg 1,5mm	kg 2mm	kg 3mm
100												
120												
150	149mm	39mm	30°							0,6	0,8	
175	174mm	39mm	30°								1,0	
200	199mm	39mm	30°								1,2	1,8
250	249mm	39mm	30°								1,7	2,6
300	299mm	39mm	30°								2,1	3,2
350	349mm	39mm	30°									3,8
400	399mm	39mm	30°									4,4

Artikel + Preise / Item + Prices

NW	1,5mm vz.		2mm vz.		3mm vz.		3mm pb.	
	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €
100								
120								
150	4010015015667	7,09	4010015015672	9,68				
175			4010015015784	12,66				
200			4010015015682	14,85	4010015015687	25,88	4010015015808	
250			4010015015692	20,25	4010015015697	31,50	4010015015809	
300			4010015015750	25,88	4010015015719	37,13	4010015015810	
350			4010015015842	32,31	4010015015790	39,96	4010015015811	
400			4010015015843	39,20	4010015015791	47,41	4010015015812	

Segment gerade 45°
Straight segments 45°

Segmente
Segments



- absolut runde Geometrie
- Schmelzer Bördelkante
- innen kalibriert
- feuerverzinkt (vz.) oder pulverbeschichtet (pb.)
- einteilig oder zweiteilig (*)

- superior roundness
- Schmelzer flanged edge
- calibrated inside
- hot-dip galvanized (vz.) or powder-coated (pb.)
- one-part or two-part (*)

Abmessungen / Dimensions

NW	a	b	c	d	e	f	g	h	kg 1mm	kg 1,5mm	kg 2mm	kg 3mm
100												
120												
150	149mm	33mm	45°							0,8	1,0	
175	174mm	33mm	45°								1,3	
200	199mm	33mm	45°								1,7	2,6
250	249mm	33mm	45°								2,2	3,3
300	299mm	33mm	45°								2,8	4,2
350	349mm	33mm	45°									5,0
400	399mm	33mm	45°									5,9

Artikel + Preise / Item + Prices

NW	1,5mm vz.		2mm vz.		3mm vz.		3mm pb.	
	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €	Art.Nr.	Preis €
100								
120								
150	4010015015668	7,71	4010015015673	9,90				
175			4010015015785	20,72*				
200			4010015015683	19,88	4010015015688	30,37	4010015015818	
250			4010015015693	25,88	4010015015698	36,01	4010015015819	
300			4010015015751	31,50	4010015015720	40,50	4010015015820	
350			4010015015844	63,21*	4010015015792	73,04*	4010015015821	
400			4010015015845	75,77*	4010015015793	87,62*	4010015015822	